The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, hereby petition for a TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY: The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, hereby petition for a Special Exception under the Zoning Law and Zoning Regulations of Baltimore County, to use the Variance from Section 238.2 to permit side and rear yard setbacks of 3 feet and 5 feet in lieu of the required 30 feet. herein described property for \_\_\_a used car lot of the Zoning Regulations of Baltimore County, to the Zoning Law of Baltimore County; for the following reasons: (indicate hardship or practical difficulty) Office building is existing. Proposed building cannot be constructed without variances because lot is too small. Property is to be posted and advertised as prescribed by Zoning Regulations. Property is to be posted and advertised as prescribed by Zoning Regulations. I, or we, agree to pay expenses of above Variance advertising, posting, etc., upon filing of this petition, and further agree to and are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Zoning Law For Baltimore County. Contract Purchaser: Legal Owner(s): Lloyd Eugene Boardwine I/We do solemnly declare and affirm, under the penalties of perjury, that I/we are the legal owner(s) of the property which is the subject of this Petition. (Type or Print Name) Contract Purchaser: Legal Owner(s): Lloyd Eugene Boardwine (Type or Print Name) (Type or Print Name) Attornal for Petitioner (Type or Print Name) (Type or Print Name) Baltimore, Md. 21219 City and State Item 111 City and State Attorney for Petitioner: 4440 North Point Blvd. 477-2222 Lloyd Eugene Boardwine Baltimore, Md. 21219 City and State Name, address and phone number of legal owner, con tract purchaser or representative to be contacted Lloyd Eugene Boardwine City and State 25 Vista Mobile Drive 284-7273 Attorney's Telephone No.: 21222 Phone No. ORDERED By The Zoning Commissioner of Baltimore County, this \_\_\_\_\_ 25th day of \_\_\_\_\_\_\_\_, 19\_84\_\_, that the subject matter of this petition be advertised, as required by the Zoning Law of Baltimore County, in two newspapers of general circulation throughout Baltimore County, that property be posted, and that the public hearing be had before the Zoning Commissioner of Baltimore County in Room 106, County Office Building in Towson, Baltimore County, on the \_\_\_\_\_\_ 13th \_\_\_\_ day of \_\_March \_\_\_\_, 19\_84 , at 10:00 o'clock

I, or we, agree to pay expenses of ove Special Exception advertising, posting, etc., upon filing of this petition, and further agree to a. are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Zoning Law for Baltimore County. I/We do solemnly declare and affirm under the penalties of perjury, that I/we are the legal owner(s) of the property which is the subject of this Petition. 4440 North Point Blvd. 477-2222 Name, address and phone number of legal owner, contract purchaser or representative to be contacted 25 Vista Mobile Drive 284-7273 ORDERED By The Zoning Commissioner of Baltimore County, this \_\_\_\_\_ 25th \_\_\_\_\_ day of \_\_\_\_\_\_, 19\_84\_, that the subject matter of this petition be advertised, as required by the Zoning Law of Baltimore County, in two newspapers of general circulation throughout Baltimore County, that property be posted, and that the public hearing be had before the Zoning Commissioner of Baltimore County in Room 106, County Office Building in Towson, Baltimore County, on the \_\_\_\_\_ day of \_\_March\_\_\_\_, 19\_84\_, at 10:00 o'clock Zoning Commissioner of Rollimore County Z.C.O.-No. 1

PETITION FOR SPECIAL EXCEPTION 84-234-XA

Item No. 171 - Case No. 84-234-XA Petitioner - Lloyd E. Boardwine Variance Petition Page 2

Otherwise, any comment that is not informative will be placed in the hearing file. This petition was accepted for filing on the date of the enclosed filing certificate and a hearing scheduled

Very truly yours,

Chairman

NICHOLAS B. COMMODARI

Michelae B. Commadari, boc

Zoning Plans Advisory Committee

accordingly.

NBC:bsc

**Enclosures** 

cc: Frank S. Lee

1277 Neighbors Avenue

Baltimore, Maryland 21237

BALTIMORE COUNTY
DEPARTMENT OF PUBLIC WORKS
TOWSON, MARYLAND 21204

February 29, 1984

PETITION FOR SPECIAL EXCEPTION : BEFORE THE ZONING COMMISSIONER

::::::

Please enter the appearance of the People's Counsel in the

above-captioned matter. Notices should be sent of any hearing dates or

other proceedings in this matter and of the passage of any preliminary

ENTRY OF APPEARANCE

OF BALTIMORE COUNTY

: Case No. 84-234-XA

Phyllis Cole Friedman

Peter Max Zimmerman

Rm. 223, Court House

Towson, MD 21204

I HEREBY CERTIFY that on this 22nd day of February, 1984, a copy

of the foregoing Entry of Appearance was mailed to Mr. Lloyd Eugene

Boardwine, 25 Vista Mobile Drive, Baltimore, MD 21222, Petitioner.

Deputy People's Counsel

People's Counsel for Baltimore County

PETITION FOR VARIANCE

60' N of Merritt Blvd.

LLOYD EUGENE BOARDWINE.

15th District

Petitioner

or final Order.

Parcel 1 - N/S Merritt Ave..

130' E of North Point Blvd.,

Parcel 1 - E/S North Point Blvd.,:

Mr. Arnold Jablon Zoning Commissioner County Office Building Towson, Maryland 21204

Property Owner: Lloyd E. Boardwine Parcel 1 - E/S North Point Blvd, 60° N. Merritt Avenue Parcel 2 - N/S Merritt Avenue, 130' E. North Point Blvd. Acres: Parcel 1 - 0.26 District: 15th

Dear Mr. Jablon:

The following comments are furnished in regard to the plat submitted to this office for review by the Zoning Advisory Committee in connection with the subject

North Point Boulevard (Md. 151) is a State Road. All improvements, intersections, entrances, drainage requirements and construction affecting a State Road

Merritt Avenue, an existing public road, is proposed to be further improved the North Point Boulevard intersection.

BALTIMORE COUNTY ZONING PLANS ADVISORY COMMITTEE PETITION AND SITE PLAN EVALUATION COMMENTS

Item #171 (1983-1984) Property Owner: Lloyd E. Boardwine February 29, 1984

Storm Drains:

The Petitioner must provide necessary drainage facilities (temporary or permanent) to prevent creating any nuisances or damages to adjacent properties, especially by the concentration of surface waters. Correction of any problem which may result, due to improper grading or improper installation of drainage facilities, would be the full responsibility of the Petitioner.

Water and Sanitary Sewer:

Public water supply and sanitary sewerage exist in North Point Boulevard.

ROBERT A. MORTON, P.E., Chief
Bureau of Public Services

RAM: EAM: FWR: 88

E-SW Key Sheet 16 SE 30 Pos. Sheet SE 4 H Topo 104 Tax Map

BALTIMORE COUNTY ZONING PLANS ADVISORY COMMITTEE

March 6, 1984

PETITION FOR ZONING VARIANCE 84-234-XA

TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY;

COUNTY OFFICE BLDG. · Nicholas B. Commodari

Chairman MEMBERS

ally states

Bureau of Engineering Department of Traffic Engineering State Roads Commission Bureau of Fire Prevention Health Department Project Planning Building Department Board of Education

Zoning Administration

111 W. Chesapeake Ave.
Towson, Maryland 21204 Mr. Lloyd E. Boardwine 25 Vista Mobile Drive Baltimore, Maryland 21222

RE: Item No. 171 - Case No. 84-234-XA Petitioner - Lloyd E. Boardwine Variance Petition

Dear Mr. Boardwine:

The Zoning Plans Advisory Committee has reviewed the plans submitted with the above referenced petition. The following comments are not intended to indicate the appropriateness of the zoning action requested, but to assure that all parties are made aware of plans or problems with regard to the development plans that may have a bearing on this case. The Director of Planning may file a written report with the Zoning Commissioner with recommendations as to the suitability of the requested zoning.

This combination hearing is required in order to utilize the front portion of your property, fronting on North Point Boulevard, as a used car lot. The rear portion is used for the storage of trucks less than 10,000 pounds in weight, and because of your proposal to construct a building closer to the side and rear property lines, variances are also requested.

Particular attention should be afforded to the comments of the Departments of Traffic Engineering and Permits and Licenses. If the petitioners are granted revised site plans, reflecting said comments, may be submitted at the building permit stage as well as a note indicating that no trucks greater than 10,000 pounds will be stored on the rear parking lot.

Enclosed are all comments submitted from the members of the Committee at this time that offer or request information on your petition. If similar comments from the remaining members are received, I will forward them to you.

HARRY J. PISTEL, P. E. DIRECTOR

Re: Item #171 (1983-1984)

Parcel 2 - 0.37

right-of-way are subject to the standards, specifications and approval of the Maryland State Highway Administration in addition to those of Baltimore County.

in the future on a 60-foot right-of-way, with fillet areas for sight distance at

The entrance locations are subject to approval by the Department of Traffic Engineering, and shall be constructed in accordance with Baltimore County Standards

Sediment Control:

Development of this property through stripping, grading and stabilization could result in a sediment pollution problem, damaging private and public holdings downstream of the property. A grading permit is, therefore, necessary for all grading, including the stripping of top soil.

and the second of the second second second second second

Pursuant to the advertisement, posting of property, and public hearing on the Petition and it appearing that strict compliance with the Baltimore County Zoning Regulations would/would would result in practical difficulty and unreasonable hardship upon the Petitioner(s) and the granting of the variance(s) requested will/will not adversely affect the health, safety, and general welfare of the community, the variance(s) should /shouldexxxx be granted.

Therefore, IT IS ORDERED by the Zoning Commissioner of Baltimore County, this day of \_\_\_\_\_\_, 19 84 , that the herein Petition for Variance(s) to permit side and rear yard setbacks of 3 feet and 5 feet in lieu of the required 30 feet, is GRANTED, from and after the date of this Order, subject, however, to the terms, provisions, and conditions contained in the accompanying Special Exception Order.

Pursuant to the advertisement, posting of property, and public hearing on the Petition and it appearing that by reason of the requirements of Section 502.1 of the Baltimore County Zoning Regulations having been met and the health, safety, and general welfare of the community not being adversely affected, a special exception should be granted.

MONTHOUSE LINES (1976)

Therefore, IT IS ORDERED by the Deputy Zoning Commissioner of Baltimore County, this 16th day of March, 1984, that the herein Petition for Special Exception for a used car lot in accordance with the site plan prepared by Frank S. Lee, revised December 6, 1983, is GRANTED, from and after the date of this Order, subject, however, to the following:

1. Uses of Parcel 1 and Parcel 2 shall be separate and distinct. The used car int and any operations relating to that lot shall ? limited to the area indicated on the aforement ened site plan as Parcel 1.

Parcel 2 on the site plan may be revised to indicate bays within the proposed 1,950 square foot building and any additional truck parking as long as all requirements of the Baltimore County Zoning Regulations

Unless a CRG waiver is obtained, the petitioner shall comply with CRG comments.

The site plan shall indicate that no trucks greater than 10,000 pounds may be stored on the property.

The entrance gate on Merritt Avenue shall be relocated 20 feet from the right of way.

Compliance with the comments submitted by the Health Department, dated February 9, 1984, the Fire Department, dated February 14, 1984, and the Department of Permits and Licenses, dated January 23, 1984.

The "Proposed screening, 4' high evergreen planting" shall be pyracantha. The details of screening and landscaping shall be shown on the site plan and approved by the Current Planning and Development Division.

8. A revised site plan shall be submitted and approved by Maryland Department of Transportation and the Office of Planning and Zoning.

Property Owner: Lloyd E. Boardwine

Existing Zoning: B.R.-CS-1

SEE CRG COMMENTS

February 9, 1984

-ZAC- Meeting of January 10, 1984

Proposed Zoning: Variance to permit side and rear yard setbacks of 3' and 5' in lieu of the required 30'.

Parcel 1 0.26 / Parcel 2 - 0.37

On site access should be provided between the

BALTIMORE COUNTY
DEPARTMENT OF TRAFFIC ENGINEERING
TOWSON, MARYLAND 21204
494-3550

STEPHEN E. COLLINS DIRECTOR

Mr. Arnold Jablon

Zoning Commissioner

County Office Building

Towson, Maryland 21204

Acres: District:

two sides of the site.

Dear Mr. Jablon;

Feb 9, 1984

BALTIMORE COUNTY DEPARTMENT OF HEALTH

Zoning Commissioner Office of Planning and Zoning County Office Building Towson, Maryland 21204

Zoning Item # 171, Zoning Advisory Committee Meeting of JAN 10, 1984

Property Owner: Lloyd E. Boardwine

Location: E/S North Pt. Blud - Parcel 1 District 15 Water Supply \_\_\_\_ public \_\_\_\_ Sewage Disposal \_\_public\_\_\_\_

COMMENTS ARE AS FOLLOWS: (V) Prior to approval of a Building Permit for construction, renovation and/or installation of equipment for any existing or proposed food service facility, complete plans and specifications must be submitted to the Plans Review Section, Environmental Support Services, for final review and approval.

Prior to new installation/s of fuel burning equipment, the owner should contact the Division of Air Pollution Control, 494-3775, to obtain requirements for such installation/s before work begins.

() A permit to construct from the Division of Air Pollution Control is required for such items as spray paint processes, underground gasoline storage tank/s (5,000 gallons or more) and any other equipment or process which exhausts

into the atmosphere.

( ) A permit to construct from the Division of Air Pollution Control is required for any charbroiler operation which has a total cooking surface area of five (5) square feet or more.

( ) Prior to approval of a Building Permit Application for renovations to existing or construction of new health care facilities, complete plans and specifications of the building, food service area and type of equipment to be used for the food service operation must be submitted to the Plans Review and Approval Section, Division of Engineering and Maintenance, State Department of Health and Mental Hygiene for review and approval.

( ) Prior to any new construction or substantial alteration of public swimming pool, wading pool, bathhouse, saunas, whirlpools, hot tubs, water and sewerage facilities or other appurtenances pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Department of Health for review and approval. For more complete information, contact the Recreational Hygiene Section, Division of Environmental Support Services.

( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore County regulations. For more complete information, contact the Division of Maternal and Child Health.

(V) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with Water Resources Administration requirements.

SS 20 1082 (1)

( ) Any existing underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and either be removed from the property or properly backfilled.

My telephone number is (301) 659-1350 Teletypewriter for Impaired Hearing or Speech
383-7555 Baltimore Metro — 565-0451 D.C. Metro — 1-800-492-5062 Statewide Toll Free P.O. Box 717 / 707 North Calvert St., Baitimore, Maryland 21203 - 0717

( ) Soil percolation tests have been conducted. The results are valid until \_\_\_\_\_\_\_ the percolation Revised plans must be submitted prior to approval of the percolation

( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.

( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test

shall be valid until \_ Applications.

( ) All roads and parking areas should be surfaced with a dustless, bonding

( ) No health hazards are anticipated.

(V) Others A copy of the Procedure for Submitting Plans
for Food Service Facilities har been sent to the SITE BUSINELE MANAGER.

BUREAU OF ENVIRONMENTAL SERVICE

SS 20 1080 (2)

ไท้มเyland Department of Transportation

Lowell K. Bridwell M. S. Caltrider

January 24, 1984

Mr. Arnold Jablon Zoning Commissioner County Office Bldg. Towson, Md. 21204

Attention: Mr. N. Commodari

Re: ZAC Meeting of 1-10-84 ITEM: #171. Property Owner: Lloyd E. Boardwine Location: Parcel 1 - E/S North Point Blvd. (Route 151), 60' N. Merritt Ave. Parcel 2 - N/S Merritt Ave., 130 E. North Point Blvd. Existing Zoning: B.R. - CS-1 Proposed Zoning: Variance to permit side and rear yard setbacks of 3' and 5' in lieu of the required 30'. Acres: Parcel 1 - 0.26 Parcel 2 - 0.37

Dear Mr. Jablon:

On review of the revised site plan of 12-6-83 and field inspection, the State Highway Administration finds the plan generally acceptable.

Very truly yours,

Charle Le Charles Lee, Chief Bureau of Engineering Access Permits By: George Wittman

District: 15th

CL:GW:vrd cc: Mr. J. Ogle

Zoning Item # \_\_\_\_\_\_ Page 2

OFFICE OF PLANNING AND ZONING TOWSON, MARYLAND 21204 NORMAN E. GERBER DIRECTOR

> Mr. Arnold Jablon Zoning Commissioner County Office Building Towson, Maryland 21204

Re: Zoning Advisory Meeting of 1/10/84 Property Owner: Lloyd E. Board wive Location: North Point Blud.

The Division of Current Planning and Development has reviewed the subject petition and offers the following comments. The items checked below are

)There are no site planning factors requiring comment.

A County Review Group Meeting is required. )A County Review Group meeting was held and the minutes will be forward by the Bureau of Public Services. )This site is part of a larger tract; therfore it is defined as a subdivision. The plan must show the entire tract.

)A record plat will be required and must be recorded prior to issuance of a building permit. )The access is not satisfactory. The circulation on this site is not satisfactory. The parking arrangement is not satisfactory.

Parking calculations must be shown on the plan. )This property contains soils which are defined as wetlands, and development on these soils is prohibited. )Construction in or alteration of the floodplain is prohibited under the provisions of Section 22-98 of the Development Development of this site may constitute a potential conflict with the Baltimore County Master Plan.
)The amended Development Plan was approved by the Planning Board Landscaping should be provided on this site and shown on the plan. The property is located in a deficient service area as defined by Bill 170-79. No building permit may be issued until a Reserve Capacity Use Certificate has been issued. The deficient service The property is located in a traffic area controlled by a "D" level intersection as defined by Bill 178-79, and as conditions change

traffic capacity may become more limited. The Basic Services Areas are re-evaluated annually by the County Council. ( )Additional comments: 13' entrance gate must be relocated 80. from ten right of way of Maritt Au

BALTIMORE COUNTY
FIRE DEPARTMENT
TOWSON, MARYLAND 21204-2586
494-4500

PAUL H. REINCKE CHIEF

February 14, 1984

Mr. William Hammond Zoning Commissioner Office of Planning and Zoning Baltimore County Office Building Towson, Maryland 21204

Attention: Nick Commodari, Chairman Zoning Plans Advisory Committee

RE: Property Owner: Lloyd E. Boardwine Location: E/S N. Pt. Blvd. 60' N. Merritt Avenue

' E. North Point Blvd. Parcel 2 Item No.: N/S Merritt Ave. 130aning Agenda:
Meeting of January 10, 1984

Pursuant to your request, the referenced property has been surveyed by this Bureau and the comments below marked with an "X" are applicable and required to be corrected or incorporated into the final plans for the property.

(y) 1. Fire hydrants for the referenced property are required and shall be located at intervals or 300 feet along an approved road, in accordance with Baltimore County Standards as published by the Department of Public Works.

( ) 2. A second means of vehicle access is required for the site.

EXCEEDS the maximum allowed by the Fire Department. ( ) 4. The site shall be made to comply with all applicable parts of the

Fire Prevention Code prior to occupancy or beginning of operation. ( % 5. The buildings and structures existing or proposed on the site shall

comply with all applicable requirements of the National Fire Protection Association Standard No. 101 "Life Safety Code", 1976 Edition prior to occupancy.

( ) 6. Site plans are approved, as drawn.

( ) 3. The vehicle dead end condition shown at \_\_\_\_

REVIEWER: Cit ( 1544 fill 9-15-14 Hoted and Lloge M Regards

Rlanning Group Special Inspection Division

JAN 21 1885

BALTIMORE COUNTY
DEPARTMENT OF PERMITS & LICENSES
TOWSON, MARYLAND 21204
494-3610 January 23, 1984 Mr. Arnold Jahlon, Zoning Commissioner Office of Planning and Zoning County Office Building Towson, Maryland 2120 Comments on Item # 171 Zoning Advisory Committee Meeting are as follows: Property Owner: Lloyd E. Boardwine
Location: Parcel #1-E/S North Point Blvd. 60' N. Merritt Avenue
Existing Zoning: B.R. - CS-1 Parcel #2-N/5 Merritt Avenue 130' E. North Point Blvd.
Proposed Zoning: Variance to permit side and rear yard setbacks of 3' and 5' in lieu of the required 30'. Acres: Parcel #1 - 0.26, Parcel #2 - 0.37 The items checked below are applicable: All structures shall conform to the Baltimore County Building Code 1981/Council Bill 4-82 State of Maryland Code for the Handicapped and Aged; and other applimiscellaneous,

A building/& other permit shall be required before beginning construction. C. Residential: Three sets of construction drawings are required to file a permit application. Architect/Engineer seal is/is not required. Non-reproduced seals and signatures are required on Plans and Technical Data. D. Commercial: Three sets of construction drawings with a Maryland Registered Architect or Engineer shall be required to file a permit application. (E.) An exterior wall erected within 6'0 for Commercial uses or 3'0 for One & Two Family use group.of an adjacent lot line shall be of one hour fire resistive Family use group.of an adjacent lot line shall be of one hour fire resistive construction, no openings permitted within 3'0 of lot lines. A firewall is required if construction is on the lot line, see Table 401, line 2, Section 1407 and Table 1402, also Section 503.2. Proposed building - all openings will require fire rated protectives. See Section 1414.0.

F. Requested variance appears to conflict with the Baltimore County Building Code, G. ▲ change of occupancy shall be applied for, along with an alteration permit application, and three required sets of drawings indicating how the structure will meet the Code requirements for the proposed change. Drawings may require

H. Before this office can comment on the above structure, please have the owner,

thru the services of a Registered in Maryland Architect or Engineer certify to this office, that, the structure for which a proposed change in use is proposed can comply with the height/area requirements of Table 505 and the required construction classification of Table 401.

NOTE: These comments reflect only on the information provided by the drawings submitted to the office of Planning and Zoning and are not intended to be construed as the full extent of any permit. If desired, additional information may be obtained by visiting Room 122 (Plans Review) at 111 W. Chesapeake Ave.,

(I.) comments -. ow handicapped parking, signs, curb cuts, building access,

District: No. Acres: Dear Mr. Jablon: The above items have no bearing on student population. Will luch recease Wm. Nick Petrovich, Assistant

BALTIMORE COUNTY PUBLIC SCHOOLS

Z.A.C. Meeting of: January 10, 1984

Department of Planning

Robert Y. Dubel, Superintendent

Mr. Arnold Jablon

Zoning Commissioner

Baltimore County Office Building

RE: Item No: 169, 170, (71,) 172, 173.

1111 West Chesapeake Avenue

Property Owner:

Present Zoning:

Proposed Zoning:

Location:

Towson, Maryland 21204

Towson, Maryland - 21204

Date: January 10, 1984

PETITION FOR SPECIAL EXCEPTION AND VARIANCE

15th Election District

ZONING:

WNP/1h

Petition for Special Exception and Variance

LOCATION:

Parcel 1 - East side North Point Boulevard, 60 ft. North of Merritt Boulevard and Parcel 2 - North side Merritt Avenue, 130 ft. East of North Point Boulevard

DATE & TIME:

Tuesday, March 13, 1984 at 10:00 A.M. PUBLIC HEARING: Room 106, County Office Building, 111 W. Chesapeake

Avenue, Towson, Maryland The Zoning Commissioner of Baltimore County, by authority of the Zoning Act and Regulations of Baltimore County, will hold a public hearing:

Petition for Special Exception for a used car lot and Variance to permit side and rear yard setbacks of 3 ft. and 5 ft. in lieu of the required 30 ft.

Being the property of Lloyd Eugene Boardwine, as shown on plat plan filed with the Zoning Department.

In the event that these Petitions are granted, a building permit may be issued within the thirty (30) day appeal period. The Zoning Commissioner will, however, entertain any request for a stay of the issuance of said permit during this period for good cause shown. Such request must be received in writing by the date of the hearing set above or made at the hearing.

> BY ORDER OF ARNOLD JABLON ZONING COMMISSIONER OF BALTIMORE COUNTY

BALTIMORE COUNTY, MARYLAND

INTER-OFFICE CORRESPONDENCE

TO Zoning Commissioner Norman E. Gerber, Director FROM Office of Planning and Zoning

Arnold Jablon

Lloyd E. Boardwine SUBJECT 84-234-XA

> If granted, it is requested that details of landscaping be required for approval by the Division of Current Planning and Development. Also, please note that a CRG meeting is required.

> > horman E. Senber per & Hosevell Norman E. Gerber, Director Office of Planning and Zoning

Date March 7, 1984

NEG/JGH/sf

FRANK S. LEE Registered Land Surveyor

1277 NEIGHBORS AVE. — BALTIMORE, MD. 21237 November 14, 1983

Parcel No. 2

Beginning for the same on the north side of Merritt Avenue at the distance of 130 feet more or less measured along the north side of Merritt Avenue from the east side of North Point Blvd., thence running and binding on the north side of Merritt Blvd. North 71 degrees 29 minutes East 60.42 feet, thence leaving Merritt Avenue for 10 lines of division as follows: North 18 degrees 34 minutes 40 seconds West 188.45 feet, South 71 degrees 29 minutes West 30.20 feet, South 80 degrees 31 minuges 42 seconds West 44 feet, South 4 degrees 23 minutes 04 seconds East 55.76 feet, North 83 degrees 27 minutes 16 seconds East 7,50 feet, South 6 degrees 32 minutes 44 seconds East 26.27 feet, South 83 degrees 27 minutes 16 seconds West 6.50 feet, South 8 degrees 01 minute 54 seconds East 68.21 feet, North 80 degrees 31 minutes 42 seconds East 51 feet and South 9 degrees 28 minutes 16 seconds East 40.80 feet to the place of beginning.

Containing 0.37 acres of land more or less.



Phone: 687-6922

FRANK S. LEE

Registered Land Surveyor

1277 NEIGHBORS AVE. - BALTIMORE, MD. 21237 November 14, 1983

No. 4440 North Point Blvd. Parcel No. 1 Special Exception for a Used Car Lot 15th District Baltimore County, Maryland

Beginning for the same on the east side of North Point Blvd. at the distance of 60 feet more or less measured northerly along the east side of North Point Blvd. from the north side of Merritt Avrnue, thence running and binding on the east side of North Point Blvd. North 7 degrees 40 minutes West 150 feet, thence leaving North Point Blvd. for seven lines of division as follows: North 80 degrees 31 minutes 42 seconds East 80 feet more or less, South 4 degrees 23 minutes 04 seconds East 55.76 feet, North 83 degrees 27 minutes 16 seconds East 7.50 feet, South 6 degrees 32 minutes 44 seconds East 26.27 feet, South 83 degrees 27 minutes 16 seconds West 6.50 feet, South 8 degrees 01 minute 54 seconds East 68.21 feet and South 80 degrees 31 minutes 42 seconds West 77.72 feet more or less to the place of beginning.

Containing 0.26 acres of land more or less.

BALTIMORE COUNTY
OFFICE OF PLANNING & ZONING
TOWSON, MARYLAND 21204
494-3353

ARNOLD JABLON ZONING COMMISSIONER

March 8, 1984

Mr. Lloyd Eugene Boardwine 25 Vista Mobile Drive Baltimore, Maryland 21222

> Re: Petition for Special Exception and Variance Parcel 1 - E/S North Point Blvd. 60' N of Merritt Blvd.; Parcel 2 - N/S Merritt Ave. 130' E of No.th Point Boulevard Lloyd Eugene Boardwine - Petitioner Case No. 84-234-XA

Dear Mr. Boardwine:

This is to advise you that \$63.60 is due for advertising and posting of the above property.

This fee must be paid and our zoning sign and post returned on the day of the hearing before an Order is issued. Do not remove sign until day of hearing.

Please make the check payable to Baltimore County, Maryland, and remit to Mrs. Arlene January, Zoning Office, Room 113, County Office Puilding, Towson, Maryland 21204, before the hearing.

Sincerely, BALTIMORE COUNTY, MARYLAND OFFICE OF FINANCE - REVENUE DIVISION D JABLON Commissioner No. 128219 MISCELLANEOUS CASH RECEIPT DATE 3-13-84 . R-01-615-000 AMOUNT\_ \$63.60 (cash

6 D20\*\*\*\*\*636DID \$1344

Mr. Lloyd Eugene Boardwine 25 Vista Mobile Drive Baltimore, Maryland 21222

NOTICE OF HEARING
Re: Parcel 1 - E/S North Point Blvd., 60' N of Merritt Blvd.; Parcel 2 - N/S Merritt Ave., 130' E of North Point Blvd. Lloyd Eugene Boardwine - Petitioner Case No. 84-234-XA

TIME: _	10:00 A.M.
DATE:	Tuesday, March 13, 1984
PLACE:	Room 106, County Office Building, 111 West Chesaper

Avenue, Towson, Maryland


of Baltimore County

BALTIMORE COUNTY, MARYLAND No. 124051 OFFICE OF FINANCE - REVENUE DIVISION

MISCELLANEOUS CASH RECEIPT ACCOUNT R-01-615-000 PECEIVED ling fee or flew #171 8 026 - - + 200 post #302A

JAN 21 555

VALIDATION OR SIGNATURE OF CASHIER



ed in witing by the date of the hear-

ing set above or made at the hearing.
BY ORDER OF ARROLD ME ON

Cost of Advertisement, \$ 20.00

